

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

OCT 30 1972

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed.....

OCT 30 1972

The applicant Vincent L. Euse and Cheryl Rupp Mann Euse
(Silver Hills Veterinary Hosp.)
 of P. O. Box 1047, Carson City, County of.....
 State of Nevada 89701....., hereby make.... application for permission to appropriate the public
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
 tion; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is underground source
Name of stream, lake or other source.
2. The amount of water applied for is 0.50 second-feet
One second-foot equals 448.83 gals. per min.
 (a) If stored in reservoir give number of acre-feet.....acre-feet
3. The water to be used for Commercial Purposes (Veterinary Hospital)
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated).....
 - (b) Stockwater (state number and kinds of animals to be watered).....
 - (c) Other use (describe fully under "No. 12. Remarks").....
 - (d) Power:
 - (1) Horsepower developed.....
 - (2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: in the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$
of Sec. 6 T.15N., R.20E., M.D.B.&M., from which the southeast
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
corner of Sec. 6 T.15N., R.20E., M.D.B.&M. bears S.13°52'51"E.
a distance of 990.53 feet
6. Place of use a portion of the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 6, T15N. R.20E.,
Describe by legal subdivision, if on unsurveyed land it should be so stated.
M.D.B.&M.
7. Use will begin about Jan. 1st and end about Dec. 31st, of each year.
Month Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans
 and specifications of your diversion or storage works.) Well drilled and cased to a
depth of 150 feet and equipped with a 1.5hp electric submersible
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
pump.

9. Estimated cost of works \$2,500.00
10. Estimated time required to construct works completed
11. Estimated time required to complete the application to beneficial use. Water is being put to beneficial use
12. Remarks Well was in place and in use when property was purchased in 1971.

Applicant s/Vincent L. Euse sen.

By

Compared cm:ga bs/ga

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights.

It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01 cubic feet per second, but not to exceed 0.365 million gallons annually.

Actual construction work shall begin on or before June 16, 1973

Proof of commencement of work shall be filed before July 16, 1973

Work must be prosecuted with reasonable diligence and be completed on or before June 16, 1973

Proof of completion of work shall be filed before July 16, 1973

Application of water to beneficial use shall be made on or before June 16, 1974

Proof of the application of water to beneficial use shall be filed on or before July 16, 1974

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed AUG 1 1973
Completion of work filed AUG 1 1973
Proof of beneficial use filed DEC 28 1976
Cultural map filed
Certificate No. 9070 Issued 7-6-77
Recorded Bk Page
County Recorder

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 16th day of April

A.D. 1973

Roland D. Westergard
State Engineer